

Riding Lawn Equipment

Implements & Attachments



JOHN DEERE



Add More

JOHN DEERE ATTACHMENTS

Add more and get more done

You already know about the quality of John Deere riding lawn equipment. Whether it's the Select Series™, Signature Series, S240 or 100 Series ride-on mowers or the Residential ZTrak™ line of zero-turn mowers, we pride ourselves on making lawn equipment that delivers superior mowing performance, season after season.

But our riding lawn equipment does much more than mow. Versatility is built into every machine, especially when you look at our premium line of Select Series and Signature Series mowers. With features like hydraulic clutch PTOs and thick

C-channel steel frames, they have the power and backbone to take on serious implements like tillers and shovels. You'll find plenty of attachment options for all our riding equipment, from bumpers to baggers, tow carts to mower covers.

And when you decide on the implement or attachment you want, call your local John Deere dealer. John Deere dealers are people who are in touch with your local community, who understand what it takes to maintain your property. Their factory-trained service and parts professionals ensure that your equipment keeps working as hard as you do.



Table of contents

| | |
|-----------------------------------|-------|
| 100 Series | 4-5 |
| S240 | 6-7 |
| Residential ZTrak Zero-Turn | 8-9 |
| X300 Select Series | 10-11 |
| X500 Select Series | 12-13 |
| X700 Signature Series | 14-16 |

FRONT BLADES

| | |
|--|-------|
| Front Blades / Shovels / Brooms | 17-19 |
| Mower Decks: Mulch & Leaf Bagging Kits | 20-21 |

TOW-BEHIND ATTACHMENTS & FRONT THATCHERS

| | |
|---------------------------------|-------|
| Aerators (Spike / Plug) | 22-23 |
| Lawn Roller / Sweeper | 22-23 |
| Sprayers / Spreaders | 22-23 |
| Utility Carts / Thatchers | 22 |

ADDITIONAL PARTS & ATTACHMENTS

| | |
|--------------------------------------|-------|
| Bumpers / Brush Guards | 24 |
| Lawn Equipment | 24-27 |
| Protective Covers | 25 |
| Seat Covers / Seat Attachments | 25 |
| Wheel Attachments / Weights | 25-26 |
| Ballast Box | 26 |
| Home Maintenance Kits | 26 |
| Buckets / Bucket Holders | 27 |
| Mower Blades | 27 |



100 Series

With the exclusive CargO Mount™ system, your 100 Series Ride-on Mower can do more than just mow. Plus, you can accessorise with sensible attachments like a sun canopy or a poly cart.





1 Sun Canopy

Provides protection from the sun's rays and gives the operator some cooling shade during hot summer days.

Fits all 100 Series

CPLP68122



2 6.5-Bushel Hopper and Chute

Provides an efficient means of collecting grass clippings and leaves. The hopper design provides great bagging performance, cleaner operation, and easy-to-empty bags. Includes bagging blades.

Fits 107 cm (42 in.) 100 Series mower decks

BG20776

Fits 122 cm (48 in.) 100 Series mower decks

BG20777




3 6.5-Bushel Hopper, Chute, and Power Flow™ Blower

Provides an efficient means of collecting grass clippings and leaves using the Power Flow material collection system.

Fits 137 cm (54 in.) 100 Series mower decks

BG20747



4 Grass Groomer – Lawn Striping Kit

Flexible, durable and non-weight-bearing design make it the perfect solution for pattern mowing.

Fits 107 cm (42 in.) 100 Series mower decks

CPLP1001

Fits 122 cm (48 in.) and 137 cm (54 in.) 100 Series mower decks

CPLP1002



5 Front Bumper

The front bumper is an optional attachment for several lawn mowers. It offers additional front-end protection. The front bumper also provides a more aggressive look for the mower.

Double bar - Fits all 100 Series

BG20944



6 57 L (15 gal.) Mounted Sprayer

Provides an excellent way to apply spray material including liquid fertiliser, weed killer and tree spray. It comes complete with a 81 cm (32 in.) boom that sprays a 152 cm (60 in.) spray swath. It is equipped with a 5.8 m (19 ft.) hose and a spray wand for spot spraying lawns and shrubs.

Fits all 100 Series

CPLP53283



7 Single Bucket Holder

All steel construction can carry up to 18 kg (40 lb.) of material. Easily attaches to the rear Cargo Mount system without tools (requires 19 L bucket, CPLPJD400).

Fits all 100 Series

CPLPJD100

19 L (5 gal.) bucket

CPLPJD400



8 Utility Cart, Poly*

Poly Cart is rust and dent resistant and can be used to haul a variety of materials. Easy dump release; steep angle for complete emptying.

10P 0.28 cu. m. (10 cu. ft.) - For use on all John Deere Ride-on Mowers and Residential ZTrak™ Mowers

CPLPPCT10JD

17P 0.48 cu. m. (17 cu. ft.) - For use on all John Deere Ride-on Mowers

CPLPPCT17JD

*The loaded weight of the utility cart not to exceed the weight of the mower and operator. The loaded weight of any equipment towed by an Residential ZTrak mower not to exceed 113 kg (250 lb.).



9 MCS 6

Easily eliminate yard waste without leaving the mower seat using the conveniently located lever and smooth release system. Designed specifically for John Deere mowers equipped with a two-bag Material Collection System (MCS).

Fits all 100 Series 2-bag MCS

CPLP47167



10 Lawn Sweeper

Hauls 17 bu. of material. Convenient brush-height adjuster has eight positions. Premium features: adjustable hitch, large 30.5 cm x 7.6 cm wheels, and collapsible for storage.

For use on all John Deere Ride-on Mowers and Residential ZTrak Series. Rear hitch required.

107 cm (42 in.)

CPLPSTS42JD

S240

With style, comfort, and performance, the S240 easily handles a variety of tow-behind equipment and mounted equipment. From a rear bagger to a front blade or to a 10P cart, the S240 is versatile and accommodating.






1 6.5-Bushel Hopper and Chute

Provides an efficient means of collecting grass clippings and leaves. The hopper design provides great bagging performance, cleaner operation, and easy-to-empty bags. Includes bagging blades.

Fits 107 cm (42 in.) S240 mower decks

BG20776



2 Grass Groomer – Lawn Striping Kit

Flexible, durable and non weight-bearing design make it the perfect solution for pattern mowing.

Fits 107 cm (42 in.) S240 mower decks

CPLP1001



3 Single Bucket Holder

All steel construction can carry up to 18 kg (40 lb.) of material. Easily attaches to the rear CargO Mount™ without tools (requires 19 L bucket, CPLPJD400).

Fits all S240 Series

CPLPJD100

19 L (5 gal.) bucket

CPLPJD400




4 MCS 6

Easily eliminate yard waste without leaving the mower seat using the conveniently located lever and smooth release system. Designed specifically for John Deere mowers equipped with a two-bag Material Collection System (MCS).

Fits all S240 Series 2-bag MCS

CPLP47167



5 Utility Cart, Poly*

Poly Cart is rust and dent resistant and can be used to haul a variety of materials. Easy dump release; steep angle for complete emptying.

10P 0.28 cu. m. (10 cu. ft.) - For use on all John Deere

Ride-on Mowers and Residential ZTrak™ Mowers

CPLPPCT10JD

17P 0.48 cu. m. (17 cu. ft.) - For use on all John Deere

Ride-on Mowers

CPLPPCT17JD

*The loaded weight of the utility cart not to exceed the weight of the mower and operator. The loaded weight of any equipment towed by an Residential ZTrak mower not to exceed 113 kg (250 lb.).



6 Sun Canopy

Provides protection from the sun's rays and gives the operator some cooling shade during hot summer days.

Fits all S240 Series

CPLP68122



7 57 L (15 gal.) Mounted Sprayer

Provides an excellent way to apply spray material including liquid fertiliser, weed killer and tree spray. It comes complete with a 81 cm (32 in.) boom that sprays a 152 cm (60 in.) spray swath. It is equipped with a 5.8 m (19 ft.) hose and a spray wand for spot spraying lawns and shrubs.

Fits all S240 Series

CPLP53283



8 Lawn Sweeper

Hauls 17 bu. of material. Convenient brush-height adjuster has eight positions. Premium features: adjustable hitch, large 30.5 cm x 7.6 cm wheels, and collapsible for storage.

For use on all John Deere Ride-on Mowers and Residential ZTrak Series. Rear hitch required.

107 cm (42 in.)

CPLPSTS42JD

Residential ZTrak™ Zero-Turn

With a Z300 or Z500 Series Residential ZTrak Mower, you've probably been pleasantly surprised at how easy they are to operate. Here's another surprise: the many attachments you can put on your Residential ZTrak. Take a look.



1 57 L (15 gal.) Sprayer

Spray a variety of liquids, such as liquid fertiliser, weed killer and tree spray. Boom sprays a 152 cm (60 in.) swath and a 5.8 m (19 ft.) hose and spray wand spot sprays lawns, shrubs, etc. Requires BG20913 attachment bar/bumper.

Fits Z500 Series Residential ZTrak mowers

CPLP53284



2 Headlight Kit

Kit includes headlights and required components to provide additional lighting when needed. BM24357 shown.

Fits Z300 Series Residential ZTrak mowers

BM24357

Fits Z500 Series Residential ZTrak mowers

BUC10071



3 Floor Mat

Stylish non-slip, washable rubber floor mat protects the foot deck of your mower. Keeps the foot deck clean and scratch-free. BM24486 shown.

Fits Z300 Series Residential ZTrak mowers

BM24486

Fits Z500 Series Residential ZTrak mowers

BUC10107



4 Premium Control Arms

Add even more comfort to your mowing with the premium control arms.

Fits all Z300 Series and Z500 Series Residential ZTrak mowers BUC10040



5 6.5-Bushel Hopper and Chute Assembly

The hopper design provides an efficient means of collecting grass clippings and leaves. Kit includes hopper, ballast and chute.

Z300 Series ZTraks with 42A deck (Z335E, Z335M, Z345M, Z345R) BG20755



6 Boarding Step

Allows for easier mounting and dismounting of a zero-turn mower.

Fits all Z300 Series Residential ZTrak mowers

CPLP66653

Fits all Z500 Series Residential ZTrak mowers

CPLP66655



7 6.5-Bushel Hopper and Chute Assembly with the Power Flow™ System

Provides an efficient means of collecting leaves and grass clippings using the Power Flow material collection system. Requires BG20913 Attachment Bar/Bumper.

For Z525E, Z535M, Z540M, 48A/54A

| | |
|---|---------|
| Hopper | BG20757 |
| Chute | BM21681 |
| Power Flow Blower, 48A | BG20758 |
| Power Flow Blower, 54A | BG20759 |
| For Z540R/122 cm (48 in.) HC; Z535R, Z540R/137 cm (54 in.) HC | |
| Hopper | BG20757 |
| Chute | BM21681 |
| Power Flow Blower, 122 cm HC (Z540R only) | BG20768 |
| Power Flow Blower, 137 cm HC (Z535R and Z540R models only) | BG20769 |



8 Grass Groomer – Lawn Striping Kit

Lawn striping kit is designed with inherent characteristics of flexibility, durability, and nonweight bearing design, making it the perfect solution for pattern mowing.

| | |
|--|-----------|
| For 42A mower | CPLP63763 |
| For 122, 137, 152 cm (48, 54, 60 in.) HC mowers | CPLP36265 |
| Fits Z535M and Z540M with 158 cm (62 in.) Edge™ deck | CPLP1000 |



9 Foot Rest Extensions

Makes mowing more comfortable for the operator. Includes bolt-on left and right foot rests.

| | |
|---|----------|
| Fits all Z500 Series Residential ZTrak mowers | AM137437 |
|---|----------|



10 Attachment Bar/Bumper

Bolts to the tubular frame for solid support. Provides protection for the rear of the Residential ZTrak Mower.

| | |
|---|---------|
| Fits all Z500 Series Residential ZTrak mowers | BG20913 |
|---|---------|



11 Rear Hitch

Bolts solidly to tubular frame and provides towing capability. The rear bagger bracket is included with the rear hitch.

| | |
|---|---------|
| Fits all Z500 Series Residential ZTrak mowers | BG20912 |
|---|---------|



12 Utility Cart, Poly*

Rust- and dent-resistant, the poly cart can be used to haul many types of materials. Easy dump release (the cart angles steeply) for complete emptying.

10P 0.28 cu. m. (10 cu. ft.) Maximum tow capacity
113 kg (250 lb.).

CPLPPT10JD

*The loaded weight of the utility cart not to exceed the weight of the mower and operator. The loaded weight of any attachment towed by an Residential ZTrak mower not to exceed 113 kg (250 lb.).



13 Foot Lift Kit

Upgrade your Residential ZTrak mower with a foot lift kit to easily raise or lower the mower deck without the use of hands. An operator can quickly lift the mower deck with the foot lift when encountering unexpected obstacles such as tree roots, bottles or rocks.

| | |
|---|---------|
| Fits all Z300 Series Residential ZTrak mowers | BG20946 |
| Z525E, Z535M, Z540M with 48A or 54A mower decks | BM25162 |
| Z540M with 158 cm (62 in.) Edge Xtra deck | BM24243 |



14 Attachment Bar and Hitch Kit

Tow a cart or just protect the back of your machine.

| | |
|---|---------|
| Fits all Z300 Series Residential ZTrak mowers | BM24481 |
|---|---------|



15 Ballast Bracket Kit

The ballast kit makes provision for mounting two 19 kg (42 lb.) Quik-Tatch™ weights to the front of the ZTrak Mower. Quick-pull pins hold the weights securely in place while providing easy installation and removal. NOTE: The ballast-bracket components are included in the 6.5-bu rear bagger attachment for Z300 Mowers

| | |
|---|---------|
| Fits all Z300 Series Residential ZTrak mowers | BM24485 |
| Fits all Z500 Series Residential ZTrak mowers | BG20917 |



16 Seat Slide Kit

Allows the operator to easily adjust the fore-aft position of the seat within a 18 cm (7 in.) range. The seat adjustment lever is conveniently located on the left side of the seat.

| | |
|---|----------|
| Fits all Z300 Series Residential ZTrak mowers | AM143587 |
|---|----------|



X300 Select Series™

Not only are these mowers manoeuvrability masters, they're also versatility pros. Whether you want to mulch or bag, we can make it happen for you. Take a look at how your X300 can be a master of efficiency as well.



1 7-Bushel Power Flow™ System

Provides an efficient means of collecting grass clippings and leaves using the Power Flow material collection system.

| | |
|---|---------|
| X300 Series, except X350R (requires Power Flow Chute and Blower. Front ballast recommended) | BM21679 |
| Power Flow Chute (7 bu.) | BM21681 |
| Power Flow Blower, 48A mower | BG20748 |
| Power Flow Blower, 54A mower | BG20749 |

Loose-knit bags for 7 bu. hopper

Loose-knit bags are available to replace the standard bags on rear baggers or Power Flow collection systems. They allow more air to flow through for more complete bag filling.

For 7 bu. rear bagger or Power Flow, 2 required AM135486



2 7-Bushel Rear Bagger System

Provides an efficient means of collecting grass clippings and leaves. The hopper design provides great bagging performance, cleaner operation, and easy-to-empty bags.

| | |
|---|---------|
| X300 Series, except X350R (requires Power Flow Chute and Blower. Front ballast recommended) | BM21679 |
| Rear Bagger Chute for 42A mower | BG20754 |



3 MCS 7

Easily eliminate yard waste without leaving the mower seat using the conveniently located lever and smooth release system. Designed specifically for John Deere mowers equipped with a two-bag Material Collection System (MCS).

Fits all X300 Series 2-bag MCS CPLP47168



4 MC519 Material Collection System

The versatility of two products in one - a utility cart or 19 bu. material collector. Requires Power Flow blower and chute.

| | |
|--|-----------|
| X300 Series with 48A or 54A mower (requires Power Flow Chute and Blower for collecting material) | CPLP49228 |
| Power Flow Chute (MC519) | BM20855 |
| Power Flow Blower, 48A | BG20748 |
| Power Flow Blower, 54A | BG20749 |



9 Sun Shade

Provides an effective way to keep the sun off of the operator. Mounts to the heavy-duty Cargo Mounts™. The 7 bu. hopper can be installed and used with the sun shade installed.

| | |
|---------------------------|---------|
| X300 Series, except X350R | BM23054 |
|---------------------------|---------|



5 12-Volt Outlet Kit

The 12-Volt outlet kit can be installed on the mower to provide power for various 12-Volt equipment.

| | |
|---------------------------------------|---------|
| Model Year 2012 - Current X300 Series | BM24915 |
|---------------------------------------|---------|



10 96 L (25 gal.) Mounted Sprayer

Spray a variety of material including liquid fertiliser, weed killer and tree spray. Boom sprays 229 cm (90 in.) spray swath. Includes a 5.8 m (19 ft.) hose and spray wand for spot spraying lawns, shrubs, etc.

| | |
|---------------------------|-----------|
| X300 Series, except X350R | CPLP22861 |
|---------------------------|-----------|



6 Rear Deflector Kit (X350R)

Optional rear deflector for X350R Rear-Discharge Ride-on Mower easily installs in place of hopper. No tools required for installation. Deflects clippings in an even pattern behind the mower.

| | |
|-------|---------|
| X350R | BM25065 |
|-------|---------|



11 Electric Lift Kit


Makes front blade implements easier to use and more efficient. Convenient dash-mounted control switch provides controlled downforce for increased usability of front blades.

| | |
|---------------------------------------|-----------|
| Model Year 2016 - Current X300 Series | CPLP64865 |
|---------------------------------------|-----------|

Manual Angling Kit (image shown on page 18)

Allows angling blade from the mower seat for operator convenience.

| | |
|---------------------------------|-----------|
| For 112 cm (44 in.) Front Blade | CPLP33712 |
|---------------------------------|-----------|



7 Grass Groomer – Lawn Striping Kit

Lawn striping kit is designed with inherent characteristics of flexibility, durability, and non-weight-bearing design, making it the perfect solution for pattern mowing.

| | |
|--|-----------|
| Fits 42A mower on X300 Series | CPLP63762 |
| Fits 48A and 54A mowers on X300 Series | CPLP63761 |



12 Front Weight Bracket/Bumper

Available to replace the mower's standard front bumper. Makes Quik-Tatch™ weights an alternative to front-wheel weights for adding front ballast.

| | |
|-------------|---------|
| X300 Series | BM25370 |
|-------------|---------|



8 102 cm (40 in.) Shovel

Allows mower to pick up and move material. Opening design and lift height of the blade assure complete emptying of material. When the scoop is raised, the shovel can be used to doze, scrape, or level material.

| | |
|---------------------------------------|-----------|
| Model Year 2016 – Current X300 Series | CPLP63767 |
|---------------------------------------|-----------|

X500 Select Series™

Not only are these ride-on mowers multi-terrain, they're also multi-talented. X500s do serious work from mowing to spreading seed or fertiliser. Heavy-duty frames work with ground-engaging implements to help you work the land like



1 7-Bushel Power Flow™ System

Provides an efficient means of collecting grass clippings and leaves using the Power Flow Material Collection System (MCS). X500 Series, (requires Power Flow Chute and Blower. Front ballast recommended)

| | |
|--------------------------|---------|
| Power Flow Chute (7 bu.) | BM21681 |
| Power Flow Blower, 48A | BG20748 |
| Power Flow Blower, 54A | BG20749 |

Loose-knit bags for 7 bu. hopper

Loose-knit bags are available to replace the standard bags on rear baggers or Power Flow collection systems. They allow more air to flow through for more complete bag filling. For 7 bu. rear bagger or Power Flow, 2 required

AM135486

2 14-Bushel Power Flow Collection System

Large 14 bu. capacity lets you collect more material with fewer stops to empty bags than smaller capacity power flow systems. X500 Series (requires Power Flow Chute and Blower. Front ballast recommended)

| | |
|---------------------------|---------|
| Power Flow Chute (14 bu.) | BM21682 |
| Power Flow Blower, 48A | BG20748 |
| Power Flow Blower, 54A | BG20749 |



3 MCS19 Material Collection System

The versatility of two products in one - a utility cart or 19 bu. material collector. Requires Power Flow blower and chute. X500 Series (requires Power Flow Chute and Blower. Front ballast recommended)

| | |
|--------------------------|---------|
| Power Flow Chute (MCS19) | BM20855 |
| Power Flow Blower, 48A | BG20748 |
| Power Flow Blower, 54A | BG20749 |

CPL49228



4 Grass Groomer – Lawn Striping Kit

Lawn striping kit is designed with inherent characteristics of flexibility, durability, and non-weight-bearing design, making it the perfect solution for pattern mowing.

Fits 48A and 54A mowers on X500 Series

CPL63761



5 MCS 8

Easily eliminate yard waste without leaving the mower seat using the conveniently located lever and smooth release system. Designed specifically for John Deere mowers equipped with a 7 bu. two-bag MCS.

Fits all X500 and X700 Series 2-bag MCS

CPL47169



6 Power Integral Hitch

Uses the mower hydraulics to lift certain rear-mounted sleeve hitch implements.

For X530, X534, X540, X580, X584, and X590

CPLP66661



7 Manual Integral Hitch

Integral hitch permits the use of certain rear-mounted implements, such as a blade.

Fits all X500 Series

CPLP31357



8 Cultivator – Integral (Sleeve) Hitch

Excellent for removing weeds and loosening soil between planted rows. Adjustable widths from 46 to 102 cm (18 to 40 in.).

X500 Series (requires Integral Hitch)

CPLPCC55



9 107 cm (42 in.) Rear Blade – Integral (Sleeve) Hitch

Designed tough and durable to handle grading and backfilling tasks. The blade angles and locks up to 30 degrees and rotates 180 degrees for pushing.

X500 Series (requires Integral Hitch)

CPLPBB56



10 96 L (25 gal.) Mounted Sprayer

Spray a variety of material including liquid fertiliser, weed killer and tree spray. Boom sprays 229 cm (90 in.) spray swath. Includes a 5.8 m (19 ft.) hose and spray wand for spot spraying lawns, shrubs, etc.

X500 Series

CPLP22861



11 Sun Shade

Provides an effective way to keep the sun off of the operator. The 7-bu. hopper can be installed and used with the sun shade installed.

X500 Series

BM23054



12 102 cm (40 in.) Shovel

Opening design and lift height of the blade assure complete emptying of material. When the scoop is raised, the mower shovel can be used to doze, scrape, or level material.

X500 Series

CPLP63767



13 Electric Lift Kit

Makes front blade implements easier to use and more efficient. Convenient dash-mounted control switch provides controlled downforce for increased usability of front blades.

X500 Series

CPLP64865

Manual Angling Kit (image shown on page 18)

Allows angling blade from the mower seat for operator convenience.

122 cm (48 in.) Front Blade

BM23448



14 Front Weight Bracket/Bumper

Replaces mower standard front bumper. Makes Quik-Tatch™ weights an alternative to front-wheel weights for adding front ballast.

X500 Series

BM25370



15 Adjustable Armrest Kit

Offers operator support and comfort, especially when mowing for extended periods of time. Armrest angle is adjustable to suit the operator.

For 53 cm (21 in.) seat

BM23761

For use with BM25346 53 cm Professional Seat

BM24426

X700 Signature Series



Unlimited possibilities come with the X700 Signature Series. These are the ride-on mowers that do more work, all day long, all year long. Discover how much more the ultimate John Deere Signature Series can do.



1 14-Bushel Power Flow™ System

Large 14-bushel capacity.
X700 Series (requires Power Flow blower, chute, and Click-N-Go Brackets. Front ballast recommended)
Click-N-Go Brackets
Power Flow Chute (14 bu.)
Power Flow Blower, 48A
Power Flow Blower, 137 cm (54 in.) HC
Power Flow Blower, 152 cm (60 in.) HC

BM20671
BM20714
BM21682
BG20859
BG20867
BG20727



2 7-Bushel Power Flow System

Provides an efficient means of collecting grass clippings and leaves using the Power Flow material collection system.
X700 Series (requires Power Flow blower, chute, and Click-N-Go Brackets. Front ballast recommended)
Click-N-Go Brackets
Power Flow Chute (7 bu.)
Power Flow Blower, 48A
Power Flow Blower, 137 cm (54 in.) HC

BM20780
BM20714
BM21681
BG20859
BG20867

Loose-knit bags for 7 bu. hopper

Loose-knit bags are available to replace the standard bags on rear baggers or Power Flow collection systems. They allow more air to flow through for more complete bag filling.
For 7 bu. rear bagger or Power Flow, 2 required

AM135486



3 Air Ride Seat

The seat has an easily-adjustable full pneumatic suspension that helps minimise vibration and provides a smooth ride. The wide ergonomic cushions provide comfort and reduce back strain.

Air Ride Seat BM24379

Armrest Kit (fits X700 standard seat only) BM24426



4 Front Fender Kit

Front fenders are available (except for X724, X734, X744, and X754 models) for protection from mud and debris. Includes fenders and mounting parts for both front wheels.

X710, X730, X750 BM24429

X738, X739, X758 BM24430



5 MCS 14

Easily eliminate yard waste without leaving the mower seat using the conveniently located lever and smooth release system. Designed specifically for John Deere mowers equipped with a three-bag Material Collection System (MCS).

Fits all 3-bag MCS CPLP47170



6 96 L (25 gal.) Mounted Sprayer X700

Spray a variety of material including liquid fertiliser, weed killer, tree spray and de-icer. Boom sprays a 229 cm (90 in.) swath. Includes a 5.8 m (19 ft.) hose and spray wand for spot spraying lawns, shrubs, etc.

Fits all X700 Series (requires Click-N-Go Brackets) CPLP22862



7 3-Point Hitch

Conveniently attach rear-mounted implements to the mower. Hitch is raised and lowered with tractor hydraulic control lever.

Cat. 0 - X700 Series (requires BM23883 Adaptor Kit) BM17327

Adaptor Kit for X700s Cat. 0 Hitch BM23883

Cat. 1 - X700 Series BM23882



8 MC519 Cart and Material Collection System

Provides the versatility of two products in one – a utility cart or a 19 bu. material collector.

X700 Series (requires Power Flow blower and chute for collecting material) CPLP49228

Attaching parts for X700 Series (required) CPLP52039

Power Flow Chute (MC519) BM20855

Power Flow Blower, 48A mower deck BG20859

Power Flow Blower, 137 cm (54 in.) HC mower deck BG20867

Power Flow Blower, 152 cm (60 in.) HC mower deck BG20727



9 Front Roller Kit

For model year 2018, 137 or 152 cm (54 or 60 in.)

HC Mower Decks (SN 060,000-) BUC10313



10 Grass Groomer – Lawn Striping Kit

Lawn striping kit is designed with inherent characteristics of flexibility, durability, and non-weight-bearing design, making it the perfect solution for pattern mowing.

Fits 48A and 137 or 152 cm (54 or 60 in.) HC mowers on X700 Series CPLP46468



11 iMatch™ Quick-Hitch*

Fits on the 3-point hitch and makes hookup easy for most Category 1 implements.

Fits all X700 Series LVB25976

*The iMatch Quick-Hitch does not work with all ride-on mowers or with all implements. See your John Deere dealer to determine which mowers and implements are compatible with the iMatch.

X700 Signature Series



12 Rear Receiver Hitch Kit

Rear receiver hitch kit bolts on the mower rear hitch plate to provide a standard 3.2 cm x 3.2 cm (1-1/4 in. x 1-1/4 in.) receiver hitch.

X700 Series

BM20877



13 38 mm (1.25 in.) Hitch Drawbar Kit for Receiver Hitch

The drawbar kit may be used on the front or rear of mower. Provides a hitch hole further back than the standard hitch-plate hole, and requires Rear Receiver Hitch Kit (shown with PM05101 optional ball for hitch).

X700 Series

BM23989



14 Click-N-Go Brackets

Install on the rear of the mower to provide a quick and easy way to install and remove rear-mounted attachments, such as a rear bagger or ballast box.

X700 Series

BM20714



15 Front Light Kit

Includes two 37.5-watt lights, mounting frame, and wire harness. Attaches to the quick-hitch. Hood tilts forward for access to the engine.

X700 Series

BM20753



16 540 RPM Rear PTO Drive

Used to drive stationary and 3-point-hitch-mounted implements. Three-position control lever; mid PTO, rear PTO only, and mid and rear PTO. Dealer installation recommended.

X700 Series (produced thru mid-June, 2010)

BM21914

X700 Series (produced after mid-June, 2010)

BM23588

See sales manual for mower serial number break.



17 647 Rotary Tiller, 3-Point Hitch

Heavy-duty 3-point hitch design that is ideal for preparing seedbeds, controlling weeds, and other tillage jobs for homeowners, golf courses, estates, nurseries, etc.

X700 Series (requires 540 RPM Rear PTO, Category 1 3-Point Hitch, and 72 kg (160 lb.) of front ballast)

0206LV

Drive shaft

1001



Front Blades / Shovels / Brooms

When push comes to shove, you've got plenty of choices, no matter the time of the year or the type of job.

Front Blades / Shovels / Brooms



1 Front Blade

Excellent for pushing snow or other loose material straight forward, to the right or left. Blade surface is curved to roll rather than push material, which requires less power and increases blade capacity.

| | |
|---|---------|
| 117 cm (46 in.) - Fits all 100 and S240 Series | BG20943 |
| 112 cm (44 in.) - Model Year 2016 - Current X300 Series | 6005M |
| 122 cm (48 in.) - Model Year 2016 - Current X394, X500 Series | 6006M |
| 137 cm (54 in.) - X700 Series (requires Front Quick Hitch and Hydraulic Angling. X710 model must also have the BM20761 Hydraulic Coupler Kit) | 1492M |
| 152 cm (60 in.) - X700 Series (requires Front Quick-Hitch and Hydraulic Angling. X710 model must also have the BM20761 Hydraulic Coupler Kit) | 9820M |



2 Manual Angling Kit

Allows angling blade from the mower seat for operator convenience.

| | |
|---------------------------------|-----------|
| For 112 cm (44 in.) Front Blade | CPLP33712 |
| For 122 cm (48 in.) Front Blade | BM23448 |



3 102 cm (40 in.) Shovel

Allows mower to pick up and move material. The blade's opening design and lift height assure complete emptying of material. When the scoop is raised, the tractor shovel can be used to doze, scrape, or level material.

| | |
|----------------------|-----------|
| X300 and X500 Series | CPLP63767 |
|----------------------|-----------|



4 137 cm (54 in.) Tractor Shovel

Allows mower to pick up and move material. The blade's opening design and lift height assure complete emptying of material. When the scoop is raised, the 137 cm (54 in.) Front Blade can be used to doze, scrape, or level material.

| | |
|---|-----------|
| For X700 Series (requires 137 cm Front Blade) | CPLP54000 |
|---|-----------|



5 Electric Lift Kit (X300 and X500 Series)

Takes the effort out of raising and lowering the front blade. For all Model Year 2016 - Current X300s and X500s. Convenient dash-mounted switch is included. It allows the operator to adjust down force and set implement height while working.

| | |
|--|-----------|
| For all Model Year 2016 and later X300 and X500 Series | CPLP64865 |
|--|-----------|



6 132 cm (52 in.) Quick-Hitch Rotary Broom

The broom is a four-seasons implement designed to increase the versatility of the mower so it can perform a variety of sweeping jobs.

| | |
|---|---------|
| X700 Series (requires Front Quick-Hitch, Hydraulic Angling, 2000 RPM Mid-to-Front PTO kit and Implement Drive Shaft. X700 and X710 models must also have the Hydraulic Coupler Kit) | 3880M |
| Implement Drive Shaft | BM25775 |



7 152 cm (60 in.) Heavy-Duty Rotary Broom

The broom is a heavy-duty four-seasons implement designed to increase your mower versatility.

| | |
|---|---------|
| X700 Series (requires Mounting Frame, Front Quick-Hitch, Hydraulic Angling, 2000 RPM Mid-to-Front PTO kit and Implement Drive Shaft. X700 and X710 models must also have the Hydraulic Coupler Kit) | 3790M |
| Implement Drive Shaft | BM25775 |
| Mounting Frame | BM20626 |



8 Front Quick-Hitch and Hydraulic Lift

Hitch is required on X700 Series with front blade, rotary broom or shovel.

| | |
|-------------|---------|
| X700 Series | BM26236 |
|-------------|---------|




9 Hydraulic Cylinder Lockout Valve

Keeps mower rockshaft from moving for faster implement hydraulic response.

X700 Series

AM134625



10 Hydraulic Angling Kit

Provides 0 to 27-degrees angling to the right or left using the mower hydraulics. Required for some Front Quick-Hitch-mounted implements.

X700 Series

BM25609



11 2000 RPM Mid-to-Front PTO Kit

Required to operate, rotary broom or other 2000 RPM-powered front implements. Contains sensors that enable the front implement detection feature of model year 2016 X700 Series.

2WD - X710, X730, X734, X750, X754

BM25304

4WD - X738, X739, X758

BM25305



12 Hydraulic Coupler Kit

Four quick-disconnect couplers, protective covers, and colour-coded decals for use with hydraulic-controlled implements such as blades. Standard on some models.

X700 and X710 model

BM20761



Mower Decks: Mulch & Leaf Bagging Kits



1 MulchControl™ Kit

Quickly convert between mulching and side-discharging. Depending on the kit, a MulchControl handle or one-touch electric switch is used to open and close the discharge baffle.

| | |
|--|----------|
| For 42A mower on Residential ZTrak™ and Select Series™ | BM24794 |
| For 48A mower on Residential ZTrak, Select Series and Signature Series | BM24993 |
| For 54A mower on Residential ZTrak and Select Series | BM24994 |
| For 137 cm (54 in.) HC mower on Residential ZTrak and Signature Series | BM26300 |
| For 152 cm (60 in.) HC mower on Residential ZTrak and Signature Series | BM25258 |
| 42A MulchControl (one-touch electric) X300 Series | BUC10164 |
| 48A MulchControl (one-touch electric) X300 and X500 Series | BUC10165 |
| 54A MulchControl (one-touch electric) X300 and X500 Series | BUC10166 |



2A



2B



2C

2 Mulch Kit


The mulch kit creates individual cutting chambers for precise grass or leaf mulching. Kit includes a mulch plug and high-performance mulching blades.

Ride-on Mowers:

| | |
|--|---------|
| Mulch Kit (X350R) | BM25257 |
| For 107 cm (42 in.) mower on 100 and S240 Series (shown in photo 2A) | BM21816 |
| For 137 cm (54 in.) mower on 100 Series (similar to photo 2B) | BG20304 |
| For 137 cm (54 in.) HC mower on X700 Series (similar to photo 2C) | BM23977 |
| For 152 cm (60 in.) HC mower on X700 Series (similar to photo 2C) | BM23978 |
| For 48C/48X | BM20007 |

Residential Zero-Turn Mowers:

| | |
|---|---------|
| For 122 cm (48 in.) HC mower on Z540R (similar to photo 2C) | BM23975 |
| For 137 cm (54 in.) HC mower on Z535R and Z540R (shown in photo 2C) | BM23977 |
| For 152 cm (60 in.) HC mower on Z540R (similar to photo 2C) | BM23978 |
| For 157 cm (62 in.) mower on Z535M and Z540M (similar to photo 2B) | BM21890 |



3 Mulch Covers

The Mulch Cover keeps material under the mower deck where it is cut into smaller pieces before falling to the ground.

| | |
|--|---------|
| Fits all 107 cm (42 in.) 100 and S240 Series mower decks | GY00115 |
| Fits all 122 cm (48 in.) 100 Series mower decks | GY20417 |

4 Front Blowout Baffle for 107 cm (42 in.) mower

Kit improves the mower deck vacuum performance when bagging leaves or other dry material.

| | |
|--|---------|
| 100 Series and S240 side-discharge mower | BM20505 |
|--|---------|

5 Mower Leaf Bagging Kit

Improves mower vacuum performance when using Power Flow™ blower. Needs to be removed for high-moisture grass or for mulching attachment. Includes left front, right front, and left side baffle.

| | |
|---|---------|
| For 157 cm (62 in.) mower on Z535M and Z540M (serial number below 50,000) | BM20986 |
|---|---------|

Anti-blowout kit (62C)

| | |
|---|----------|
| For 157 cm (62 in.) mower on Z535M and Z540M (serial number 50,001 and above) | AM133766 |
|---|----------|

Tow-Behind Attachments & Front Thatchers

Spray, haul, thatch, aerate, and more with your John Deere riding lawn equipment.



1 Utility Cart, Poly*

Poly Cart is rust and dent-resistant and can be used to haul a variety of materials. Easy dump release; steep angle for complete emptying.

10P 0.28 cu. m. (10 cu. ft.) - For use on all John Deere Ride-on Mowers and Residential ZTrak™ Mowers (shown)

CPLPPCT10JD

17P 0.48 cu. m. (17 cu. ft.) - For use on all John Deere Ride-on Mowers

CPLPPCT17JD



2 Utility Cart, Steel*

Steel cart hauls a variety of materials. Bracketless tailgate means no side channels to obstruct materials when emptying. Recessed bolt heads are out of the way when shoveling.

0.37 cu. m. (13 cu. ft.) - For X500, X700 (shown)

CPLPHDC13JD

0.5 cu. m. (18 cu. ft.) - For X700 Series

CPLPHDC18JD

0.6 cu. m. (21 cu. ft.) - For X700 Series

CPLPUT21JD

*The loaded weight of the utility cart not to exceed the weight of the mower and operator. The loaded weight of any attachment towed by a ZTrak mower not to exceed 113 kg (250 lb.).



3 Tow-Behind Rollers

Packs down new sod, seed, mole ridges and unlevel ground. Rounded ends will not gouge the lawn or make ruts.

91 cm (36 in.) Polyethylene Roller

For use with all John Deere Ride-on Mowers

CPLPRT36JD



4 Tow-Behind 102 cm (40 in.) Thatcherator (shown with extension)

Can be used as a dethatcher, aerator, or for preparing an area for new seed. Twenty spring-loaded tynes give maximum performance. 3-position adjustment. Weight tray allows for increased scratching power. 20 cm (8 in.) extension available for widths of 122 and 142 cm (48 and 56 in.).

For use with all John Deere Ride-on Mowers

CPLPTA40JD



5 97 cm (38 in.) Front Thatcher (Centre) (shown with extension)

Used on a regular basis, reduces excessive thatch buildup that can be damaging to a lawn's health. Since it provides more gentle, less aggressive action than a power rake, it can be used as a preventative maintenance tool each time the lawn is mowed.

X300, X500, X700 Series (requires thatcher mounting frame)

CPLP48004

Thatcher Mounting Frame (X300, X500 Series)

CPLP48005

Thatcher Mounting Frame (X700)

CPLP47977

20 cm (8 in.) Front Thatcher (Extension) - Extension is available to provide 20 or 41 cm (8 or 16 in.) of additional width.

For 97 cm (38 in.) Front Thatcher

CPLP48003



6 102 cm (40 in.) Spike Aerator

Penetrates soil, allowing air, water, and nutrients to enter the lawn relieving soil compaction. 102 cm (40 in.) width with 25 cm (10 in.) diameter steel tyre stars give up to 5 cm (2 in.) penetration. Pneumatic tyres for easy pulling. 45 kg (100 lb.) capacity weight tray.

For use with all John Deere Ride-on Mowers

CPLPSAT40JD



7 102 cm (40 in.) Aerator Spreader

Does two jobs at once: perforates the soil while the calibrated drop-spreader follows with seed, lime, or fertiliser. May also be used to just aerate the lawn. Up to 51 mm (2 in.) penetration. 34 kg (75 lb.) spreader capacity with pneumatic tyres for easy pulling, and 34 kg (75 lb.) capacity weight tray.

For use on all John Deere Ride-on Mowers

CPLPAS40JD



8 102 cm (40 in.) Plug Aerator

Removes plugs of soil up to 8 cm (3 in.) deep to allow penetration of air, water, and nutrients and help relieve soil compaction. Pneumatic tyres for easy pulling. 79 kg (175 lb.) capacity weight tray.

For use on all John Deere Ride-on Mowers

CPLPPA40JD

122 cm (48 in.) Plug Aerator

113 kg (250 lb.) capacity weight tray

X500, X700 Series

CPLPPA48JD



9 Tow-Behind Sprayers

Boom sprays a wide 305 cm (120 in.) width. A 5.8 m (19 ft.) hose and handgun with 36 cm (14 in.) wand are provided for spraying trees or other remote areas that cannot be reached with the sprayer itself (boom sold separately).

170 L (45 gal.) Tow-Behind Sprayer

For use on all John Deere Ride-on Mowers. (X700 Series require AM105666 Wiring Harness Extension)

CPLP20485

HP 170 L (45 gal.) Tow-Behind Sprayer

Enhanced features offer more volume, distance, and control

CPLP39963

HP 227 L (60 gal.) Tow-Behind Sprayer

For use on X500, X700 Series.

CPLP53766

95 L (25 gal.) Tow-Behind Sprayer - Boom sprays a wide 229 cm (90 in.) width

For use on all John Deere Ride-on Mowers. (X700 Series require AM105666 Wiring Harness Extension)

CPLP19479

57 L (15 gal.) Tow-Behind Sprayer - Boom sprays a wide 152 cm (60 in.) width

For use on all John Deere Ride-on Mowers. (X700 Series require AM105666 Wiring Harness Extension)

CPLP19478



10 95 L (25 gal.) Portable Sprayer

Four rubber feet protect the tank and stabilise it when placed in a cart. A 5.8 m (19 ft.) hose with handgun and 36 cm (14 in.) wand are provided for spraying trees, shrubs, etc.

For use on all John Deere Ride-on Mowers

CPLP19490



11 107 cm (42 in.) Lawn Sweeper

Hauls 17 bu. of material. Convenient brush-height adjuster has eight positions. Premium features: adjustable hitch, large 30.5 cm x 7.6 cm wheels, and collapsible for storage.

For use on all John Deere Ride-on Mowers and Residential ZTrak Series

CPLPST542JD

Dethatcher Kit for Sweeper (not shown)

CPLP42108



12 Push-Type Spin Spreader (Homeowner)

Convenient to use for spreading seed, fertiliser, insecticide, and salt. Polyethylene hopper. The spreader shutoff is located at the operator station.

22 kg (50 lb.) (includes cover and deflector)

CPLP31340



13 Pull-Type Spin Spreader

Convenient to use for spreading seed, fertiliser, insecticide, and salt. Polyethylene hopper will not dent or rust. Stainless steel is used for critical components. Large pneumatic tyres and solid-steel axles ensure a positive drive.

For use on all John Deere Ride-on Mowers

79 kg (175 lb.)

CPLP25354

79 kg (175 lb.) green

CPLPBS36JD




14 Electric Broadcast Spreader

Spread up to 56 kg (125 lb.) of material such as seed, fertiliser, insecticide, or salt. Durable construction and design allows for constant spreader speed. Easily mounts to the Cargo Mount™ or Click-N-Go brackets. Optional barrier shield also available.

For X300 (excluding X350R), X500 and X700 Series, (X700 requires Click-N-Go brackets)

CPLP35439



15 Magnetic Hitch Pin

Strong magnetic grip and rust resistant. Easy to install, secure fit.

Fits John Deere lawn and garden tow behind attachments.

CPLP63768

Additional Parts & Attachments

Can you customise a John Deere? Sure you can. From lights and fans to bumpers and covers, we've got the means to get you even more attached to your favorite lawn machine. And don't forget: nothing is better for your John Deere than the original parts meant for it.



1 Spark Arrester Muffler Screen

Satisfies laws requiring use of a spark arresting muffler under certain conditions; applies anywhere compliance is required by local ordinances or customer requests.

| | |
|--|----------|
| For X300 and X500 Series (AM135845 shown) | AM135845 |
| For X700 Series | AM108146 |
| For Z300 Series and Z525E, Z535M, Z535R, Z540M Residential ZTrak™ mowers | AM123168 |
| For Z540R Residential ZTrak mowers | AM146035 |
| For 100 Series and S240, Model Year 2014 and later | GY22051 |



2 Extension, Wiring Harness

76 cm (30 in.) long wiring harness extension is available if required for reaching the vehicle battery when using John Deere sprayers.

| | |
|-------------|----------|
| X700 Series | AM105666 |
|-------------|----------|



3 12-Volt Work Light Kit

35-watt sealed-beam bulb provides additional lighting. Swivels and tilts, so beam can focus on work area. Designed for mounting on rear fender by drilling a hole in the desired location.

| | |
|-----------------------------|---------|
| X300, X500, and X700 Series | BM17981 |
|-----------------------------|---------|



4 Halogen Headlight Kit

Two 75-candlepower halogen bulbs provide over twice as much illumination as the standard 32-candlepower incandescent bulbs.

| | |
|-------------|---------|
| X500 Series | BM21289 |
|-------------|---------|



5 Front Bumper

The front bumper is an optional attachment for several lawn ride-on mowers. It offers additional front-end protection, and gives the mower a more aggressive appearance.

| | |
|--|---------|
| Double bar - Fits all 100 Series and S240 (shown in photo) | BG20944 |
| Single bar - Fits X300 Series and X570 | BM23056 |



6 Brush Guard

The brush guard adds a distinctive appearance and protects the front end of the mower from damage.

| | |
|------------------------------|---------|
| For X300, X500 Series | BM23057 |
| X700 Series (shown in photo) | BM24375 |



7 Seat Net Kit

Seat net kit attaches to back of mower seat to provide a convenient storage pocket for gloves, etc. Not for use on 53 cm (21 in.) high-back seats on X500 Series.

S240, X300 and X500 Series

AM136046



8 Seat Cover

Protects new seats and renews old seats. Cushioned seat for extra comfort.

Riding Mower (S) - 28 cm (11 in.) seat

CPLP22704

Riding Mower (M) - up to 38 cm (15 in.) seat

LP92324

Riding Mower (L) - up to 46 cm (18 in.) seat

LP92334

Deluxe (L) - up to 46 cm (18 in.) seat

CPLP92634

Residential ZTrak (seat with armrests)

LP92734

X700 Signature Series - up to 53 cm (21 in.) seat

CPLP47913



9 Residential ZTrak Riding Mower Cover

Heavy-duty coated fabric provides protection for Residential ZTrak mowers. Reinforced air vents let air circulate and help prevent ballooning from wind.

Residential ZTrak Mowers

CPLP64430

Riding Mower Standard Cover (not shown)

Coated fabric for all-season protection of ride-on equipment. Dual vents let air circulate and help prevent ballooning in wind. Elastic cord in bottom hem provides a quick, custom-like fit.

100 Series, S240, X300, and X500 Series except X350R

LP93917



10 Riding Mower Deluxe Covers

Heavy-duty coated fabric for extra protection of ride-on equipment. Reinforced air vents let air circulate and help prevent ballooning in wind. Has interior lining and muffler heat shield.

Large - Fits X300, X500, and X700 Series

LP93647



11 Handheld Spreader

With a 2 kg (5 lb.) capacity, adjustable flow gate, and ergonomic trigger handle, this funnel-shaped hopper easily spreads seed, fertiliser and ice melt.

CPLP35445



12 Wheel Spacer Kit

Allows the use of tyre chains on X729, X739 and X749. Spacers simply bolt to the axle hub and the tyres to the spacer. Overall machine width is increased by 4 cm (1.5 in.).

X729, X739, X749 when installing tyre chains

BM22725



13 Quik-Tatch™ Weight, 19 kg (42 lb.)

Use these cast-iron weights to counterbalance a heavy attachment and/or provide greater traction and stability. Some vehicles have built-in front and/or rear weight brackets to hang the weights on; others require a weight bracket that must be ordered separately.

Quik-Tatch Weight, 19 kg (42 lb.) boxed

BG20029

100 Series, S240, X300, X500, and X700 Series (when installed

on Front Bumper of X700 Series, M147986 Rod and (2) M40461 Spring Clips are required)

UC13263



14 Weight Brackets

Provides a mower-mounted bracket required on some mower models for hanging two or more 19 kg (42 lb.) Quik-Tatch weights.

Rear, 2 weight - 100 and S240 Series

BG20627

Rear, 2 weight - X300 Series; 4 weight - X500 Series

BM24011

Front, 4 weight - Fits all X300 and X570 Series

BM25370

Front, 9 weight - X700 Series

BM24363

Rear, 6 weight - X700 Series (requires BM20714

BM20779

Click-N-Go bracket)

Additional Parts & Attachments



15 Wheel Weights

Weights for front wheels are recommended with rear grass baggers on slopes and may be required with heavy rear-mounted equipment. Rear weights are recommended for additional traction, especially with front blades, and tillers. Some applications require drilling two holes in wheel rim to mount the weight. Contact dealer for the right combination of weights and mounting hardware for your mower and attachments.

Cast-Iron Wheel Weights

Durable cast-iron wheel weights are mounted to mower wheels.

15 kg (34 lb.) - 13 or 15 cm (5 or 6 in.) rim (1-weight) (requires Mounting Hardware BM17978) BM17962

14 kg (30 lb.) - 20 cm (8 in.) rim (1-weight) (requires Mounting Hardware BM17978) BM17964

Wheel Weight Mounting Hardware (1) BM17978

23 kg (50 lb.) - 31 cm (12 in.) rim (1-weight) (requires Mounting Hardware BM17985) BM17972

Wheel Weight Mounting Hardware Kit (1) BM17985

Plastic-Shell Wheel Weights

(Includes mounting hardware) Plastic-shell wheel weights provide traction and stability at a lower cost for popular applications.

14 kg (31 lb.) - 20 cm (8 in.) rim (2 weights) BM19123

23 kg (50 lb.) - 31 cm (12 in.) rim (1-weight) (image not shown) BM17976

33 kg (72 lb.) Cast-Iron Starter Wheel Weight

(1) (requires mounting hardware) 33 kg (72 lb.) cast-iron starter weights can be bolted to the 31 cm (12 in.) rims of X700 Series 2-wheel steer mowers. Additional 23 kg (50 lb.) cast-iron wheel weights may be added to the starter weight.

X710, X730, X738, X750, X758 (image not shown) UC13499

Mounting Hardware (1) for attaching 33 kg (72 lb.) starter weight on 26x12-12 tyre BM18089

Mounting Hardware (1) for attaching 33 kg (72 lb.) starter weight and (2) 23 kg (50 lb.) cast iron weights on 66 cm (26 in.) tyre BM18101

Special Edition Mower Weight Adapter - For installing a rear cast-iron or plastic-shell wheel weight on special-edition mowers. Provides hole locations needed for wheel weight mounting hardware (1). Ultimate Special Edition Mowers and X738, X739, and X758 (not shown) BM21497



16 Ballast Box

Allows weight to be added to the rear of a mower for improved traction and stability when using the 45 Loader (X700 Ultimate Series only) or front-mounted equipment.

For Category 1, 3-Point Hitch - X700 Series (requires Cat. 1, 3-Point Hitch) BW14313

For use with Click-N-Go Brackets - X700 Series (requires BM20714 Click-N-Go Brackets) BM20715

For use with iMatch™ Hitch (requires Cat. 1, 3-Point Hitch and LVB25976 iMatch hitch) BW15073



17 48 mm (1.875 in.) Ball for Hitch

48 mm (1.875 in.) ball hitch. Attaches to drawbar or rear hitch to allow towing. 1.9 mm (0.075 in.) diameter post thread.

X300, X500 and X700 Series PM05101



18 Fuel Protect

For petrol engines. John Deere Fuel Protect is a unique formula developed to ensure optimum performance and protection year-round. Ensures quick starts in all 2- and 4-cycle engines. 237 ml (8 oz.) TY27534AU



19 Auxiliary Alternator Kit

Operates in parallel with standard 20-amp petrol engine-equipped alternator to bring the total of 12-Volt electric power to 40 amps for operating sprayer, optional cab equipment, etc. X710, X730, X734, X738, X739 BUC10188



20 Home Maintenance Kit

A convenient way to obtain maintenance parts as specified in the operator's manual; includes engine oil filter, engine oil, fuel filter, fuel filter element, air filter element foam, and spark plug(s).

E120, E130 AUC13705

X730, X734, X738, X739 LG244

X710 LG245

X750, X754, X758 LG260

E110 LG262

S240, X350, X350R, X354, X370, X380, X384, X390, X394, LG265

X570, X580, X584, X590, Z540M, Z540R

Z525E LG268

Z535M, Z535R LG269

E100 LG271

E140 LG275

Z335E, Z355E, Z335M, Z345M, Z345R, Z355R, Z375R, Z535M LG276



21 Mower Deck Leveling Gauge

Allows quick and accurate mower deck leveling and cutting-height adjustment.

All vehicles with mower decks AM130907



22 Bucket - 19 L (5 gal.)

This black 19 L bucket perfectly complements the CargO Mount™ single and double bucket holders. It is made of sturdy black plastic. Ride-on Mowers with Bucket Holder
CPLPJD400



23 Bucket Holder (Single)

Transporting mulch, plants, or debris is easier with the CargO Mount single bucket holder. For use with any standard 19 or 23 L (5 or 6 gal.) bucket. Will carry up to 23 kg (50 lb.) of material.
100 and S240 Series
CPLPJD100



24 Bucket Holder (Double)

Transporting mulch, plants, or debris is easier with the double bucket holder. For use with standard 19 L buckets. Will carry up to 33 kg (70 lb.) of material.
X300 (except X350R), X500, and X700 Series
CPLPJD301



25 Mower Blades-Standard

Replacement blades help keep up cut quality.

100 Series

| | |
|--------------------------------------|---------|
| 107 cm (42 in.) mower (complete kit) | GY20850 |
| 122 cm (48 in.) mower (complete kit) | GY20852 |
| 137 cm (54 in.) mower (complete kit) | GY20684 |

Residential ZTrak™

| | |
|---------------------------------------|----------|
| 42A mower (2 required) | M170639 |
| 48A mower (3 required) | M145476 |
| 122 cm (48 in.) HC mower (3 required) | TCU30315 |
| 54A mower (3 required) | M143520 |
| 137 cm (54 in.) HC mower (3 required) | M164016 |
| 152 cm (60 in.) HC mower (3 required) | M163983 |
| 157cm (62 in.) mower (3 required) | M158112 |

Select Series™ and Signature Series

| | |
|---|----------|
| 42X mower on S240 (complete kit) | AM141032 |
| 42 rear-discharge mower X350R (complete kit) | AM147289 |
| 48A mower on X300 Series, X500 Series, X700 Series (3 required) | M145476 |
| 137 cm (54 in.) HC on X700 Series (3 required) | M164016 |
| 54A mower on X300 Series and X500 Series (3 required) | M143520 |
| 152 cm (60 in.) HC mower on X700 Series (3 required) | M163983 |



26 Mower Blades-High Lift

High lift blades provide improved bagging performance in heavy and/or wet grass conditions. Can also be used for side-discharge.

100 Series

| | |
|--------------------------------------|----------|
| 107 cm (42 in.) mower (complete kit) | AM141034 |
| 122 cm (48 in.) mower (3 required) | GX21785 |

Residential ZTrak

| | |
|------------------------|---------|
| 42A mower (2 required) | GX25668 |
| 48A mower (3 required) | M145476 |
| 54A mower (3 required) | M143520 |

Select Series and Signature Series

| | |
|---|----------|
| 107 cm (42 in.) mower on S240 (complete kit) | AM141034 |
| 42A mower on X300 Series (2 required) | GX25668 |
| 48A mower on X300 Series, X500 Series, X700 Series (3 required) | M145476 |
| 54A mower on X300 Series and X500 Series (3 required) | M143520 |
| 152 cm (60 in.) HC mower on X700 Signature Series (3 required) | TCU15881 |



27 Mower Blades-Mulching

Blade included with the mulch kit is designed for optimum mulching performance. Can also be used for side-discharge.

100 Series

| | |
|--------------------------------------|----------|
| 107 cm (42 in.) mower (complete kit) | AM141033 |
| 122 cm (48 in.) mower (3 required) | GX21786 |

Residential ZTrak

| | |
|---------------------------------------|---------|
| 42A mower (2 required) | M170642 |
| 48A mower (3 required) | M127673 |
| 122 cm (48 in.) HC mower (3 required) | M136185 |
| 54A mower (3 required) | M177791 |
| 137 cm (54 in.) HC mower (3 required) | M135334 |
| 152 cm (60 in.) HC mower (3 required) | M168223 |
| 157 cm (62 in.) mower (3 required) | M145719 |

Select Series and Signature Series

| | |
|---|----------|
| 42X mower on S240 (complete kit) | AM141033 |
| 42A mower X300 Series (2 required) | M170642 |
| 42 rear-discharge mower X350R (complete kit) | AM140332 |
| 48A mower on X300 Series, X500 Series, X700 Series (3 required) | M127673 |
| 54A mower on X300 Series and X500 Series (3 required) | M177791 |
| 137 cm (54 in.) HC on X700 Series (3 required) | M135334 |
| 152 cm (60 in.) HC on X700 Series (3 required) | M168223 |



JOHN DEERE

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all countries or regions. In some countries, products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification and design of all products described in this literature without notice. John Deere's green and yellow colour scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company. All photography and illustrations contained herein are copyrighted assets of Deere & Company.

DSTA72481AU (04-18)

JohnDeere.com.au
JohnDeere.co.nz